

SAFETY DATA SHEET

Styccobond B95

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	Styccobond B95	
INTERNAL ID	SBB95/5	
APPLICATION	Wood adhesive	
SUPPLIER	F.Ball and Co. Ltd.	
	Churnetside Business Park,	
	Station Road,	
	Cheddleton,	
	Leek,	
	Staffordshire. ST13 7RS	
	Tel: 01538 361633 Mon-Fri	
	8.30am-5.00pm (Exc Bank Holidays)	
	Fax: 01538 361622	
	E.mail: mail@f-ball.co.uk	

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
VINYLTRIMETHOXYSILANE		2768-02-7	1-5%	Xn;R20. R10.

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

Blend of silanes and plasticiser with fillers and pigment

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

Rinse mouth thoroughly. Drink plenty of water. Do not induce vomiting. Get medical attention if any discomfort continues.

SKIN CONTACT

Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.

EYE CONTACT

Immediately rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Use: Small fires: Foam, carbon dioxide or dry powder. Larger fires: Water spray.

SPECIFIC HAZARDS

In case of fire, toxic gases may be formed.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Use protective gloves, goggles and suitable protective clothing.

Styccobond B95

ENVIRONMENTAL PRECAUTIONS

Do not allow to enter drains, sewers or watercourses.

SPILL CLEAN UP METHODS

Small Spillages Absorb with sand or other inert absorbent. Large Spillages Dam and absorb spillages with sand, earth or other

non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Wear necessary

protective equipment.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Provide good ventilation. Do not use in confined spaces without adequate ventilation and/or respirator. Avoid contact with skin and eyes. Do not eat, drink or smoke when using the product. Observe good industrial hygiene practices.

STORAGE PRECAUTIONS

Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store in tightly closed original container in a dry, cool and well-ventilated place.

well-ventilated place.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES

Provide adequate ventilation.

RESPIRATORY EQUIPMENT

In case of inadequate ventilation use a respirator suitable for organic vapours. Consult respirator manufacturer for specific advice.

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. Nitrile gloves to BSEN374 are recommended. Break through times can

vary depending on thickness, use and source. Change gloves regularly.

EYE PROTECTION

If there is a risk of splashing, wear chemical resistant goggles or visor approved to BS EN166.

OTHER PROTECTION

Wear suitable protective clothing as protection against splashing or contamination.

PERSONAL PROTECTION

Always check applicability with your supplier of protective equipment.

9 PHYSICAL AND CHEMICAL PROPERTIES

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid exposure to high temperatures or direct sunlight

HAZARDOUS DECOMPOSITION PRODUCTS

None under normal conditions.

11 TOXICOLOGICAL INFORMATION

INHALATION

May cause some discomfort in poorly ventilated areas.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

Prolonged or repeated exposure may cause some irritation of the skin.

EYE CONTACT

May cause temporary eye irritation

12 ECOLOGICAL INFORMATION

ECOTOXICITY

The product should not be allowed to enter drains, sewers or watercourses

13 DISPOSAL CONSIDERATIONS									
DISPOSAL METHODS Small quantities may be absorbed in sa waste via a licensed waste operator.	nd and disposed of as low haz	zard waste. Larger quantitio	es should be disposed of as controlled	liquid					
14 TRANSPORT INFORMATI	ON								
GENERAL	ADR/RID).								
ADR CLASS		No transport warning sign required. Not classified for transportation. MARINE POLLUTANT No.							
15 REGULATORY INFORMA	TION								
RISK PHRASES	NC	Not classified.							
SAFETY PHRASES	NC	Not classified.							
16 OTHER INFORMATION									
GENERAL INFORMATION F.Ball and Company Ltd Technical Data	isheet.								
REVISION COMMENTS New Formulation									
REVISION DATE	07/01/10								
REV. NO./REPL. SDS GENERATED	5								
RISK PHRASES IN FULL									
R10	Flammable.								
R20	Harmful by inhalation.								